

すもう相撲

12MM SUMO FLOORING



[www.sumo.com.my](http://www.sumo.com.my)

# LAMINATE FLOORING

ONLY@RM  
**15.90**  
/SQFT

We are familiar with traditional floor AC2-AC3 most expensive price is between RM19.90/sqft, and sumo quality flooring AC5 is RM15.90/sqft, and with 25 years warranty.


Flooring market in general are AC2-AC3 between 4000 rpm, while the sumo floor is AC5 12000 rpm and the floor without any chemical ingredients.

Length: 1213mm (47 3/4")

Width: 164mm (6 1/2")

Thickness: 12mm (1/2")

Resistance Grade: AC5 (12000)



COLOR CODE




Sumo Flooring produces quality laminate flooring. Whatever your taste, Sumo Flooring guarantees a beautiful floor that is easy to install and maintain, and durable enough to handle the challenges of everyday life. So it will still look great even after years of use.

# INSTALLATION



# MOLDING

Sumo Flooring offers a variety of natural looking wood designs to meet your desire for a relaxing and natural looking environment.

01		Reducer	Size <b>0.71</b> kgs/pc
02		T-Molding	Size <b>0.54</b> kgs/pc
03		End-Cap	Size <b>0.60</b> kgs/pc
04		Stairnose (A)	Size <b>1.10</b> kgs/pc
05		End-Molding-1	Size <b>0.25</b> kgs/pc
06		End-Molding-2	Size <b>0.40</b> kgs/pc
07		Concave-Molding	Size <b>0.25</b> kgs/pc
08		Wallboard-80	Size <b>2.05</b> kgs/pc
09		Stairnose (B)	Size <b>1.10</b> kgs/pc

# WHY SUMO FLOORING?



## Top Quality Products

Our Key Point Control ("KPC") system allows us to produce products that are consistently top quality.



## Easy to Maintenance

Sumo Lanimite flooring is just need to be cleaned with a vacuum cleaner to remove the dust or with a damp cloth for dirt, which offers you healthy and comfortable living surroundings.



## Timely Delivery Services

We endeavor to deliver your order in a timely manner. In the event of a delay in delivery, compensation will be provided in accordance with the signed sales



## Competitive Price

We are committed to produce quality and value for money wood flooring and cabinet products.



## Innovative Designs

We offer free innovative artwork design for your packaging, display board and advertisements for orders exceeding more than five containers.

### German AC5 Wear Layer

Compound wood floor with anti bacterial wear resistant layer  
Anti scratch,  
Flame resistant.



### Wood grain paper design from Japan

Clear floor texture and water absorbent,  
Enhanced engineered core.

### High Density Substrate

Sumo brand,  
Quality Assurance,  
Malaysia Chengal Powder,  
Merbau and Rosewood.  
Strong physical and mechanical properties.

### Moisture Proof Balance Layer

Stable Floor,  
Balancing Backing Layer.



12mm SUMO Laminate Flooring  
相扑高端强化地板





## SUMO FLOORING

202203238742 (JM0969428-M)

Premium Flooring have nothing issue, but expensive.  
Cheap Flooring have every issue, and cheap

最贵的地板，除了贵，什么毛病都没有  
便宜的地板，除了便宜，什么毛病都有

### SHOWROOM

MUAR: 28-1, Tingkat 1, Jalan Pesta 1/1  
Kg. Kenangan Tun Dr. Ismail 1,  
Jalan Bakri, 84000 Muar,  
Johor, Malaysia.

KL: 41, Jalan PJJ 1a/16, Taman  
Perindustrian Jaya, Ara Damansara,  
47301 Petaling Jaya, Selangor

JB: No. 76, Jalan Barau 2, Jalan Utama Skudai,  
81300 Skudai, Johor Bahru.


STORE No.28, Jalan Perusahaan 1, Kawasan  
Perindustrian Parit Hulu, Jalan Parit Hulu,  
Mukim Jalan Bakri, 84200 Muar, Johor.  
+606 986 9972 / +606 986 5401

[www.sumo.com.my](http://www.sumo.com.my)

[www.kohchongking.com](http://www.kohchongking.com)

**德国AC5 耐磨层**  
复合型抗菌耐磨层  
防刮花，耐高温

**防潮背板平衡层**  
防潮抗湿，稳固地板  
具有平衡应力效果



**装饰木纹纸日本进口**  
纹理清晰吸水  
膨胀系数稳定

**高密度基材**  
相扑品牌，质量保证  
马来西亚正艾木粉  
(Chengal)  
波罗木粉 (Merbau),  
红木粉等等。  
物理力学性能强



12mm SUMO Laminate Flooring  
相扑高端强化地板



# TEST CERTIFICATE EPH SUCCESS BY QUALITY



BOD-18-12-07-01

**Product:** Laminate floor covering  
Dimensions: length (807-2250) mm x width (90-600) mm x thickness (7-12.3) mm

**Producer:** SUMO FLOORING  
No.26, Yingbin Road, Cuibei Village, Henglin Town,  
Wujin District, Changzhou City, Jiangsu Province, China

**Order:** Testing of selected properties according to EN 14041:2008 for CE-labelling

**Test report:** 278003/39

**Test results:**

Declaration  
according to  
EN 14041:2008

The above mentioned flooring can be classified regarding to both properties according to EN 14041:2008 (CE-labelling) as follows:

Property	Results	Declaration according to EN 14041:2008
Formaldehyde emission according to EN 717-1:2004	0.02 ppm	class E1
Anti-sliding properties according to EN 13893:2003	$\mu = 0.57$	class DS

Dresden, 07 December 2018

Head of laboratory



Engineer in charge



PERBADANAN HARTA INTELEK MALAYSIA  
INTELLECTUAL PROPERTY CORPORATION OF MALAYSIA  
(Agensi dibawah KPDN)



Aras LG, G, 2-5, 11-13 & 15-23,  
Menara MyIPO, PJ Sentral,  
Lot 12, Persiaran Barat, Seksyen 52,  
46200 Petaling Jaya, Selangor,  
MALAYSIA

Tel : +603 - 7496 8900  
Faks(Fax) : +603 - 7496 8999  
Laman Web (Web) : www.myipo.gov.my

## TRADE MARK VALIDATION

**Disclaimer :** The information available is not intended to be comprehensive information, Perbadanan Harta Intelek Malaysia (MyIPO) shall not be liable to any consequences of errors or omissions.

Application No : TM2023013163      Date Gazzete :  
Application Date : 14 May 2023      Date Registered : 15/05/2023  
Legal Status : Under Formality Validation      Date Of Cert Issued :  
Date of Legal Status : 14 May 2023      Expiry Date :  
Nature Of Mark :  Trademark  
 Certification

Collective Mark

Priority Claim  
Date :      Country :

Transliteration :  
Translation :  
Disclaimer/Condition :

Applicant :

Correspondence Address:

Koh Chong King  
28-1, Jalan Pesta 1/1, Kg. Kenangan Tun Dr.  
Ismail 1, Jalan Bakri,  
84000 Muar Johor  
Malaysia

Low Chee Keong  
IPMAN Global Intellect Sdn. Bhd. No. 3A-  
07, Hab Citrine, Persiaran Medini 3, Bandar  
Medini Iskandar,  
79250 Iskandar Puteri Johor  
Malaysia

WORD MARK : SUMO  
MARK :



(Agensi di bawah Kementerian Perdagangan Dalam Negeri dan Kos Sara Hidup)



www.sumo.com.my  
www.kohchongking.com

CERTIFICATE